



## SS 4 RUNG OPEN TOP LADDER

Made from 316g highly polished stainless steel, this 4 rung folding ladder is ideal when transom space is at premium. The ladder is thinner than standard versions being only 210mm wide.



Mounting holes (centre - centre) are only 195mm apart vertically and 225mm horizontally to allow mounting in a very small area.

Length opened - 800mm  
Length folded - 490mm  
Width - 210mm  
**Part No. 47270**

## TAKE APART HINGE

316 Stainless Steel take apart hinge with spring loaded pin. Sold in pairs.



World Class  
Products



**Part No. 29751**

Length 68mm x Width 32mm x  
Thickness 3mm

## 316 SS SOLID BOLLARD

Traditionally styled heavy duty 316g polished stainless steel bollards to suit most size boats.



World Class  
Products




Part No.	Base	W	H	Hole Size
<b>29096</b>	85 x 85mm	140mm	155mm	10mm
<b>29098</b>	60 x 60mm	90mm	90mm	6mm
<b>29099</b>	76 x 76mm	110mm	115mm	8mm

## SS 316 FORK END

Suits 1.6mm stainless steel tube.



World Class  
Products



Part No.	A	B	C	D	E
<b>57250</b>	6.5mm	22.23mm	45mm	1/4"	7mm
<b>57252</b>	9.7mm	28.58mm	52mm	5/16"	8.5mm
<b>57254</b>	11.11mm	34.93mm	63mm	3/8"	10mm

## HEAVY DUTY 316SS FENDER BASKETS

Heavy duty fender baskets are ideal for mounting on the rails of cruisers in the 25 - 45 foot range.

Robustly constructed from 10mm diameter 316 grade rounded stainless steel, complete with stainless steel rail clamps that will suit 22, 25 & 32mm diameter rails.

The finish is excellent and will enhance the boats appearance & ease of use.



World Class  
Products



Part No.	
<b>37762</b>	250mm dia x 490mm high
<b>37763</b>	300mm dia x 620mm high



## HIGH POWER LED MULTI LIGHT

The Multi Light can be used as a range of different lights as they can be either surface or flush mounted.

### Features:

Available in White or Chrome Plated.  
Hardened Glass.  
No maintenance Life-Time over 50,000 hours.  
Simple installation 10V to 30V-DC powered.  
Low power consumption 3Watt only.  
Lifetime over 50,000 hours.  
IP57  
Dimensions: 62mm DIA x 16mm D



World Class  
Products

# LED

### Part No.

- 70957** White LED Multi Light 45° ~ Cool
- 70958** White LED Multi Light 45° ~ Warm
- 70959** Chrome Plated LED Multi Light 45° ~ Cool
- 70960** Chrome Plated LED Multi Light 45° ~ Warm

## LED TORCHES



### GT-7 Led

#### Features

7 super bright LED's  
Pocket size  
Low power consumption  
3 x AAA batteries  
Housing made on a waterproof base  
Life time over 50.000 hours

Part No. 50128



World Class  
Products

# LED



### GT-1Watt Power Led

#### Features

One 1Watt power LED  
Pocket size  
Low power consumption  
2 x CR123A batteries  
Housing made on a waterproof base  
Adjustable lens for beam angle  
Life time over 50.000 hours

Part No. 50130



World Class  
Products

# LED



### GT-11 Led

#### Features

11 super bright LED's  
Pocket size  
Low power consumption  
3 x AAA batteries  
Housing made on a waterproof base  
Life time over 50.000 hours

Part No. 50129



World Class  
Products

# LED



### GT-3Watt Power Led

#### Features

One 3Watt power LED  
Pocket size  
Low power consumption  
2 x CR123A batteries  
Housing made on a waterproof base  
Adjustable lens for beam angle  
Life time over 50.000 hours

Part No. 50131



World Class  
Products

# LED



## STEP COURTESY LIGHTS

### Features:

Available in Cool White, Blue or Red LED's.  
 Available in Chrome Plated & Brass Plated .  
 Simple installation 10V to 30V-DC powered.  
 Saves power only 0,5 Watt power consumption.  
 No Maintenance Lifetime over 50,000 hours.  
 Suitable for outdoor use IP64.  
 Surface mount fitting.  
 Dimensions: 110mm W x 20mm H x 13mm D




World Class  
Products

### Part No. Descriptions

<b>70950</b>	Brass Step LED 120° ~ Cool White
<b>70951</b>	Brass Step LED 120° ~ Red
<b>70952</b>	Brass Step LED 120° ~ Blue
<b>70954</b>	Chrome Plated Step LED 120° ~ Blue
<b>70955</b>	Chrome Plated Step LED 120° ~ Red
<b>70956</b>	Chrome Plated Step LED 120° ~ Cool White

# LED



## LOW POWER LED CHART LIGHT

The F-4 task light is a sophisticated, high-quality generation of lights that combines state-of-the-art microcontroller technology with the well-known advantages of the light-emitting diode (LED). (Low power consumption, low operating temperature, shock-resistance, long working life, etc.)



# LED



World Class  
Products

### Part No.

<b>70946</b>	Chrome Plated Flexible Chart Light
<b>70947</b>	Brass Flexible Chart Light

## Save power & maintenance with the new HIGH POWER LED NAVIGATION LIGHTS

### Features

- \* For Boats up to 20 meters.
- \* Specially developed to save your power & maintenance & to improve the visibility of your boat.
- \* The power consumption is only 4-5 Watts and the expected life-time is over 70.000 hours.
- \* High power LED's.
- \* Made from Polycarbonate & Stainless Steel
- \* Easy to mount with the fitting bracket supplied

# LED



World Class  
Products

Part No.	Description	Watt	Beam Angle	Voltage	Visibility
<b>88100</b>	Starboard Light	5 x 1Watt	112.5 degree	10V-30V DC	2-3 NM
<b>88104</b>	Port Light	5 x 1Watt	112.5 degree	10V-30V DC	2-3 NM
<b>88108</b>	Bi Colour Light	4 x 1Watt	225 degree	10V-30V DC	2-3 NM
<b>88112</b>	Stern Light	5 x 1Watt	135 degree	10V-30V DC	2-3 NM
<b>88116</b>	Mast Head Light	4 x 1Watt	225 degree	10V-30V DC	2-3 NM



88100



88104



88108



88112



88116



## Save power & maintenance with the new HIGH POWERED LED LIGHT BARS

# LED


### Features

- \* One Led Light Bar will light up your cabin
- \* No replacement required
- \* Simple installation 12V
- \* Saves power only 3 watt power consumption
- \* Small dimensions only 210mm by 29mm
- \* IP64

Part No.	Description	Volt
70920	Flat Bar Warm White	12V
70921	Flat Bar Cool White	12V
70924	Flat Bar Red	12V
70925	Flat Bar Green	12V
70927	Flat Bar Blue	12V
70922	Triangle Bar Warm White	12V
70923	Triangle Bar Cool White	12V
70926	Triangle Bar Red	12V



World Class  
Products



## Save power and maintenance with the new



World Class  
Products

# LED

### Features

- \* No replacement required, lifetime over 50,000 hours
- \* Simple installation 12V or 24V
- \* Saves power only 3 watt power consumption
- \* Small dimensions only 9.5cm by 2.35cm
- \* Warm and Cool White available in 15° Spot or 45° Floodlight
- \* Red available in 45° Floodlight
- \* IP64

Part No.	Description
70928	Anodised Silver Aluminium 45° (Shines Red)
70930	CP Brass 15° Warm white
70932	Brass 45° Warm white
70936	CP Brass 45° Warm white



## Save power & maintenance with the new LED MARKER LIGHTS

### Features

- \* Very low power consumption
- \* Available with white or blue led's
- \* Can even be placed under water IP68
- \* Long life performance of 40,000 - 50,000 hours
- \* Easy installation and connection with the wire splitter and extension
- \* 12V to 24V AC/DC powered
- \* For onshore use, transformers are available

# LED



World Class  
Products

Part No.	Description
70904	Square LED White
70906	Square LED Bright Blue
70900	Round LED White
70902	Round LED Bright Blue





## LED REPLACEMENT NAVIGATION BULB

Suitable for all brands of approved nav lights with offset pin bases.

- \*50pcs very Bright White LED's
- \*Replaces a 25Watt bulb
- \*Lifetime over 50,000 hours
- \*Saves power only 3,5 Watt power consumption
- \*IP68



World Class Products

**Part No.**  
**70948** 12 Volt  
**70949** 24 Volt

# LED



## Plastic Bungs



World Class Products

**Part No.**  
**40mm cutout, ID hole 30mm**  
**23635** - Black Assembly  
**23635B** - Black Bung only  
**23636** - White Assembly  
**23636B** - White Bung only

**50mm cutout, ID hole 40mm**  
**23638** - Black Assembly  
**23638B** - Black Bung only  
**23640** - White Assembly  
**23640B** - White Bung only



## STAINLESS STEEL ROD HOLDERS WITH STORAGE SPACE

This high-styled rod holder has a place for your fillet knife, pliers, baits & a convenient shelf for extra line or scents. Stores rods upright. Fabricated from polished 304 stainless steel, with injection molded ABS inserts to protect valuable rods and tools. Stainless steel mounting hardware included.

**Part No.**  
**49132** Double Rod Holder  
 Length - 11"  
 Height - 9 1/4"  
 Depth - 3"



World Class Products

**Part No.**  
**49133** Triple Rod Holder  
 Length - 13 1/2"  
 Height - 9 1/4"  
 Depth - 3"



World Class Products

## ALLOY ADJUSTABLE ROD HOLDERS

Adjustable clamp on rod holder fits pipe size 25mm - 50mm. Made from Quality Polished anodised Aluminium with Internal locking positions which turn every 18° to adjust the angle of attack. Easy installation with an Allen Wrench. Available in Silver or Gold.

# Marlin *ClampOn* Rod Holder



World Class Products



**Part No.**  
**49420** Fits pipe size 25mm-30mm Silver  
**49421** Fits pipe size 25mm-30mm Gold  
**49423** Fits pipe size 40mm-50mm Gold  
**49424** Fits pipe size 40mm-50mm Silver



## STAINLESS STEEL 316G CLAMP ON ROD HOLDER

This clamp-on rod holder has a polished stainless steel tube with a hard plastic liner & a Stainless Steel 316G clamp. Corrosion resistant.



World Class Products



**Part No. 49128**  
Suits rails 20mm to 25mm

## NYLON ROD HOLDER INSERTS

High quality UV stabilised nylon inserts for rod holders. Ideal for rocket launcher racks etc. Saves rod holder from damage & finishes the aluminium or stainless steel tube neatly.



World Class Products



**Part No. 49641** Black 2" imperial suits 2" (50.8mm) O.D imperial tube. Max tube wall thickness 1.5mm  
**49643** Grey 50mm metric suits metric thick wall aluminium tube. Fits inside 50mm O.D tube. Max tube wall thickness 3mm.

## 304SS ROD HOLDERS

Robustly constructed high quality stainless steel rod holders with slimline 60mm diameter head with rolled top for elegant flush mounting. Stainless rod gimbal pin through shaft. Choice of 30 degree angle shaft or straight 90 degree shaft.



World Class Products



**Part No. 49299** Angled Shaft - Pair  
**Part No. 49972** Angled Shaft - each  
**Part No. 49979** Vertical Shaft - each

**Head size** 60mm x 80mm    **Length** 215mm  
**Bore Size** 40mm    **Cut out size** 45mm

## HEAVY DUTY FLUSH MOUNT ROD HOLDER

Top Quality Line  
Heavy Duty  
Heavy Duty white PVC insert.



World Class Products



316 Casting Stainless Steel Flange, 4" Diameter  
2" 304 Polished Stainless Steel Tube  
Closed bottom type with 1/2" tube drain tail.  
Straight Angle Degree.  
**Part No. 49121**

## 316SS BURLEY BUCKET

This high quality 316g stainless steel burley bucket will withstand the toughest of fishing environments. Manufactured of 2mm thick tube and a solid 3mm flange all in 316g, The right amount of holes lets the perfect amount of burley into the ocean, landing you the biggest fish.

**Part No. 49910**



World Class Products



## SS 316 ROD HOLDER WITH DRAIN

Top Quality Line  
Heavy Duty  
Heavy Duty white PVC insert.



World Class Products



30 Degree Angle.  
Round Shape 4" DIA.  
2" 304 polished SS Tube.  
Closed bottom type with 1/2" tube drain tail  
**Part No. 49122**



## THE 'ULTIMATE' DELUXE 316G STAINLESS STEEL BAIT STATION

*Designed by Fisherman - For Fisherman!*

This 'one of a kind' bait station features four angled rod holders, two conveniently placed drink holders, an ergonomically designed channel at the back of the nylon cutting board for ease of draining PLUS the bonus 'fisherman feature', two knife, pleyer, hook & lure storage brackets.

Also available as an 'optional extra' are removable and adjustable legs for compact storage. The legs fit into standard 40mm ID vertical Rod Holders. Selling the legs seperately to the station also allows boat builders, marine fabricators and retail customers to weld there own feet to suit there specific application.



**World Class  
Products**

Overall Height:	700mm	Straight stainless steel rod holder to mount bait station. Sold Each.
Overall Width:	700mm	
Overall Depth:	450mm	<b>Part No. 49979</b>
Adjustable Width:	Min 300mm Max 500mm	
Length of Legs	430mm	
<b>Part No. 49900</b>	<b>Bait Station</b>	
<b>49902</b>	<b>Adjustable Legs</b>	

