

Contents

Inflatable Boat Attachments

Rubber Handles103
Step103
Terminal Cone103
Rope Guides104
Stops104
D Ring Attachment104
Oar Sockets104
Cleats & Bollards105
Rowlock106
Paddle107
Dolly Wheels107
Transom Protection Plates107
Protection Strips108
Snap Davits & Accessories108

Inflatable Boat Pumps

Electric Pumps109 - 110
Foot Pumps111 - 112
Hand Pumps112 - 113
Pressure Gauges113
Valves & Adapters114

Inflatable Boat Folding Ladder

Inflatable Boat Folding Ladder114
--	------

Please Note:

Due to the multiple methods of installation of inflatable boat accessories please contact your local inflatable boat specialist for the best way to apply Inflatable Boat Attachments.



Inflatable Boat Attachments Rubber Handles, Step & Terminal Cone

Inflatable Boat - Handle - Rubber



39100

39102



39104



39112



39120

Part No.	Material	Colour	Lifeline Holes	Length (mm)	Width (mm)	Height (mm)
39100	Evolution Rubber	Light Grey	2	260	95	60
39102	Evolution Rubber	Black	2	260	95	60
39104	Evolution Rubber	Grey	2	260	95	60
39112	Evolution Rubber	Grey	-	240	105	45
39120	Synthesis Rubber	Light Grey	-	230	95	45

- High quality handles.
- Manufactured for inflatable boats.
- UV resistant.
- Designed to retain its shape.
- **39100, 39102 and 39104** are designed with two lifeline holes - Ø 12mm.

Inflatable Boat - Step



39113



39114

Part No.	Colour	Material	Length (mm)	Width (mm)
39113	White	PVC	460	340
39114	Grey	PVC	460	340

- The first Bow Step for inflatable boats in PVC material.
- Suitable for tubes from Ø 350 to 650mm.
- The rigid inner core inside allows Installation of lights, cleats, handles, hinges for ladders, supports and others accessories.

Inflatable Boat - Terminal Cone



39116

Part No.	Material	Colour	Diameter (mm)	Height (mm)
39116	Rubber	Grey	125 - 165	40

- Manufactured for inflatable boats.
- UV resistant.



Inflatable Boat - Rope Guide

Part No.	Material	Colour	Hole Diameter (mm)	Length (mm)	Width (mm)	Height (mm)
39124	Rubber	Grey	12	95	95	45

- Manufactured for inflatable boats.
- UV resistant.



Inflatable Boat - D Ring Block

Part No.	Material	Colour	D Ring Diameter (mm)	Length (mm)	Width (mm)	Height (mm)
39128	Rubber	Grey	45	95	95	40

- Manufactured for inflatable boats.
- UV resistant.
- Stainless steel D ring.



Inflatable Boat - Rope Stop

Part No.	Material	Colour	Length (mm)	Width (mm)	Height (mm)	
39142	PVC	Grey	100	70	33	NEW ENTRY
39143	PVC	Black	100	70	33	NEW ENTRY

- Manufactured for inflatable boats.
- UV resistant.
- Suitable for rope: 8mm - 12mm.



Rope knot slides into back pocket

Inflatable Boat - Oar Socket

Part No.	Material	Colour	Hole Diameter (mm)	Length (mm)	Width (mm)	Height (mm)
39132	Rubber	Medium Grey	35	115	95	55

- Manufactured for inflatable boats.
- UV resistant.
- Suits telescopic paddle **39170** "Paddle - Telescopic" on page 107



Inflatable Boat - Cleats

Part No.	Material	Colour	Length (mm)	Width (mm)	Height (mm)
39147	Rubber	Light Grey	320	160	60
39148	PVC	Light Grey	320	160	60



- Versatile cleat for mooring inflatable boats.
- Manufactured for inflatable boats.
- UV resistant.
- Suitable for rope: 8mm - 14mm.

Inflatable Boat - Slotting Sheet Bollard / Cleat

Part No.	Material	Colour	Length (mm)	Width (mm)	Height (mm)
39138	Rubber	Grey	240	192	70
39140	PVC	Grey	240	192	70



- Manufactured for inflatable boats.
- Can be used as a cleat or bollard for inflatable boats.
- UV resistant.
- Suitable for rope: 8mm - 12mm.

Inflatable Boat - Pulley / Bollard

Part No.	Material	Colour	Length (mm)	Width (mm)	Height (mm)
39144	Rubber	Grey	240	192	70
39145	PVC	Grey	240	192	70



- Can be used as a pulley or bollard for inflatable boats.
- Manufactured for inflatable boats.
- UV resistant.
- Suitable for rope: 8mm - 14mm.



Inflatable Boat - Rowlock Socket

Part No.	Material	Colour	Hole Diameter (mm)	Length (mm)	Width (mm)	Height (mm)
39108	Rubber	Medium Grey	12	115	95	55
39136	Rubber	Grey	12	200	95	35

- Manufactured for inflatable boats.
- UV resistant.
- Suits rowlocks **39201** and **39202**.



39108



39136

Inflatable Boat - Rowlock - Adjustable with Stainless Steel Post

Part No.	Material	Colour	Hole I.D. (mm)	Post Diameter (mm)	Height (mm)
39201	Nylon/Stainless Steel	Grey	35	11.7	92

- UV resistant.
- Stainless steel post and screws.
- Suits **39136** and **39108**.



Inflatable Boat - Rowlock - Fixed - Chrome Plated Brass

Part No.	Material	Mounting Holes (mm)	Locator Base (mm)	Base to Collar (mm)	Post Diameter (mm)
39202	Chrome Plated Brass	4 x Ø 3	3	24	11.7

- Manufactured in chromium plated brass material.
- Suits most brands of inflatable boats.
- Suits **39136** and **39108**.



Inflatable Boat - Rowlock - Adjustable

Part No.	Material	Colour	Hole I.D. (mm)	Post Diameter (mm)	Height (mm)
39200	Nylon	Grey	35	14.2	95

- UV resistant.

NOTE: Does not fit **39136** and **39108**.




Paddle & Dolly Wheels

Paddle - Telescopic


Part No.	Shaft Colour	Blade Colour	Min./Max. Length (mm)	Shaft Dia. (mm)	Blade Size (mm)
39170	Silver	Grey	1280 - 1820	30 / 35	610 x 125

- Blade detaches from shaft providing easy storage.
- Minimum shaft length is 730mm.
- Heavy-Duty.
- UV resistant.




Inflatable Boat - Transom Wheel - Kit

Part No.	Description	Overall Length (mm)	Mounting Base A x B (mm)	Edge of Base to Edge of Wheel C (mm)	Wheel Diameter O.D. (mm)	Wheel Width D (mm)	Fixing Hole Centres E x F (mm)	Colour	Net Weight (kg)
39186	Dinghy Dolly Wheel Kit (Pair)	310	100 x 150	160	140	85	82 x 132	Grey	2.3
39187	Replacement Dolly Wheel (Each)								
39188	Axle Repair Kit suits 39186								



- Perfect for small tinny's, inflatables, car toppers and tenders up to 100kg.
- 3 position design allows you to flip the wheels down for moving your boat around and flip the wheels up out of the way when the boat is in the water.
- UV stabilised, maintenance free and non-corroding/rusting lightweight components.
- Kit includes mounting hardware.



Transom Protection Plates

Transom Protection Plates

Part No.	Description	Mounting Holes (mm)	Dimensions (mm)
39400	Alloy Protect Plate	4 x Ø 6	300 x 90
39404	Alloy Protect Plate	3 x Ø 5	200 x 95

- Manufactured in light aluminium alloy.
- Strong and functional.






Protection Strips, Snap Davits & Accessories

Inflatable Boat - Protection Strip

Part No.	Material	Colour	Roll Length (mm)	Width (mm)	Height (mm)
39160	Rubber	Grey	22	60	26
39164	Rubber	Grey	24	60	16

- UV resistant.



Inflatable Boat - Snap Davit Kits

Part No.	Description	Material	Colour	Mounting Holes (mm)	Clip Base (mm)	Pad Base (mm)
39190	Snap Davit Kit suits PVC Inflatables	PVC	White	4 x Ø 7 1 x Ø 10	110 x 74	267 x 120
39192	Snap Davit Kit suits Hyperlon Inflatables	Rubber	Grey	4 x Ø 7 1 x Ø 10	110 x 74	267 x 120

- To be mounted directly on the transom of the boat.
- Nylon and stainless steel components.
- UV resistant.
- Does not fit weaver branded davits.
- See replacement parts below - Snap Davit Accessories & Spare Parts.



Inflatable Boat - Snap Davit Accessories & Spare Parts

Part No.	Description	Mounting Holes (mm)	Length (mm)	Width (mm)
39193	White PVC Snap Davit Pad Only (Each)	14	267	120
39195	Grey Rubber Snap Davit Pad Only (Each)	14	267	120
39194	Stainless Steel Snap Davit Quick Release Plates (Pairs)	4 x Ø 7.8	125	110
39196	Snap Davit Platform Clip Assembly (Each)	4 x Ø 7 1 x Ø 10	110	74
39198	Stainless Steel Snap Davit Telescopic Holding Bars (Pairs)	-	450-750	Ø 22
39199	Clips Only to Suit Snap Davits	-	54	20
39197	Stainless Steel W Bar Suits Snap Davit Pad with Clips (Each)	-	-	-



Air Pump - Bravo Superturbo

Part No.	Type	Volts	Output (Ltr/min)	(Amps)	Max Pressure (PSI)	Weight (kg)	Length (mm)	Width (mm)	Height (mm)
39219	Bravo ST800	12V	450	13	11.6	1.9	180	200	240



- Suitable for boats, kites, kayaks, all kind of inflatables.
- Automatic: Shut off when the selected pressure is reached.
- Equipped with universal adaptors.
- Powerful motor with brass gears for greater reliability.
- Inflates and deflates.
- Connects via alligator clips.

Air Pump - Turbo Max

Part No.	Type	Volts	Output (Ltr/min)	(Amps)	Max Pressure (PSI)	Weight (kg)	Length (mm)	Height (mm)	Depth (mm)
39218	Bravo Turbo Max	12V	1000	60	3.6	3.5	290	160	127



- Inflates large rigid inflatable's up to 14 metres.
- Inflates 7 metre boat in 6 mins.
- High level of flexibility and reliability.
- Pressure can be regulated to 3.6psi with automatic shutoff.
- Inflates and deflates.
- Wiring Harness with deutsch plug supplied.
- Supplied with hose connections and assorted nozzles.
- Fittings suit 25mm hose.
- Bulk head mount.



Multiple pressure ranges



Hose lock-in adapter included



70A fuse included

Turbo Max - Recessed Box

Part No.	Description	Cutout (mm)			Overall Dimensions (mm)		
		Length	Height	Depth	Length	Height	Depth
39218B	Turbo Max Recess Box	303	175	70	353	235	90



- Ideal for mounting into the centre console.
- Seal provides a water tight seal when lid is closed.
- Clear inspection lid.

Air Pumps - GE20-2

Part No.	Type	Volts	Output (Ltr/min)	Max Pressure (PSI)	Weight (kg)	Length (mm)	Height (mm)	Depth (mm)	
39250	GE 20-2	12	125	22	6.65	20	32	22	NEW ENTRY

- Portable electric inflator.
- High efficiency and reduced noise.
- Double piston pumping group, no relay or micro switch.
- Easy setting of the desired pressure using the pressure gauge and automatic stop.
- LED indicators for battery status.
- Equipped with terminals for direct power supply from external 12V batteries.
- Built in rechargeable battery.
- 12V battery is replaceable.
- Protective filtering system.
- Inflates and deflates.
- Inflation fittings and carry bag included.



Air Pumps - GE21-1

Part No.	Type	Volts	Output (Ltr/min)	Max Pressure (PSI)	Weight (kg)	Length (mm)	Height (mm)	Depth (mm)	
39252	GE 21-1	12	125	22	6.4	22	32	22	NEW ENTRY

- Electric inflator for high pressure applications.
- Robust construction.
- Easy setting of the desired pressure using the pressure gauge and automatic stop.
- Quick connection to the cigarette lighter socket, both for operation and for charging.
- Inflates and deflates.
- Inflation fittings and carry bag included.



Air Pumps - GE BP

Part No.	Type	Volts	Output (Ltr/min)	Max Pressure (PSI)	Weight (kg)	Length (mm)	Height (mm)	Depth (mm)	
39221	GE BP	12	160	14.5	2.6	190	100	130	NEW ENTRY


- Automatic stop at selected pressure.
- Easy setting of the desired pressure using the pressure gauge and automatic stop.
- Quick connection to the cigarette lighter socket.
- Built-in protective filters.
- Inflation fittings and carry bag included.



Foot Pumps

Air Pumps - Bravo - Foot

Part No.	Type	Litre	Pressure (PSI)	Length (mm)	Width (mm)	Closed Height (mm)
39208	Bravo 1	5	2.9	260	200	80
39207	Bravo 7	5	5.8	280	210	60
39242	Bravo 7M	5	5.8	280	210	60



- Reinforced bellows.
- Anti-slip feet provides greater stability.
- Bravo 1, 2 & 7 sturdy construction and limited size makes them suitable for boats, life-rafts and kayaks.
- Inflates and deflates.
- Includes universal adaptors.
- Italian made quality.
- **39242:** Includes built in pressure gauge.

Double Chamber Bravo Foot Pumps							
Part No.	Type	Litre	High Pressure/ Low Vol (PSI/Ltr)	Low Pressure/ High Vol (PSI/Ltr)	Length (mm)	Width (mm)	Closed Height (mm)
39246	Bravo 9	6.5	14.5	4.4	320	230	70
39210	Bravo 10	1.6 & 5	11.6/1.6	4.4/5	350	250	80



- Reinforced bellows.
- Anti-slip feet provides greater stability.
- Sturdy construction and limited size makes them truly suitable for boats, life-rafts and kayaks.
- Inflates and deflates.
- Includes universal adaptors.
- Italian made quality.
- **39210** includes pressure indicator.





Air Pump - Foot

Part No.	Litre	Pressure (PSI)	Length (mm)	Width (mm)	Closed Height (mm)
23156	5	2.9	310	240	110

- Manufactured in strong glass-filled nylon.
- Screw plug with O-ring for a perfect seal.
- Includes universal bayonet adaptor fits 90% of inflatable boats & SUPs.
- Includes flexible kink resistant hose.
- Italian Made.



Air Pump - GP5

Part No.	Litre	Pressure (PSI)	Length (mm)	Width (mm)	Closed Height (mm)
39240	5	5.8	290	220	80

NEW ENTRY

- Manufactured in strong glass-filled nylon.
- Screw plug with O-ring for a perfect seal.
- Inflates and deflates.
- Includes universal bayonet adaptor fits 90% of inflatable boats & SUPs.
- Includes flexible kink resistant hose.
- Italian Made.



Air Pumps - Hand with Gauge

Part No.	Litre	Pressure (PSI)	Length (mm)	Width (mm)	Height (mm)
39232	4	27.5	300	140	650
39234	5	14.5	300	170	580

- Unique Double/Single action architecture inflate faster with less effort.
- Ergonomic handle and large base provide greater stability.
- Built in pressure gauge.
- ABS and aluminium.
- Main shaft contains protective filter.
- Includes flexible kink resistant hose.
- Italian Made.
- **39232:** Inflate only.
Includes Universal Bayonet Adaptor fits 90% of inflatable boats and SUPs.
- **39234:** Inflates and Deflates.
Includes inflation fittings for all common valves.
Suitable for kites, boats, kayaks and all inflatables.



39232 Fittings



39234 Fittings



39232

39234

Hand Pumps & Pressure Gauges

Air Pump - Hand



Part No.	Litre	Pressure (PSI)	Length (mm)	Width (mm)	Height (mm)
23152	3.6	14.5	210	120	490

- Unique double/single action architecture inflate faster with less effort.
- Inflates and deflates.
- Ergonomic handle and large base provide greater stability.
- Includes universal bayonet adaptor fits 90% of inflatable boats & SUPs.
- Includes flexible kink resistant hose.
- Italian made.



Inflatable Boat - Pressure Gauges



39180



39182

Part No.	Description	Diameter (mm)	Material	Pressure Measurement
39180	Stainless Steel Pressure Gauge to suit 39154	63	Stainless Steel	Bar 0-1 PSI 1-14.5
39182	ABS Pressure Gauge to suit 39154	63	ABS	Bar 0-1 PSI 1-14.5

Air Pump Indicator - Bravo



Part No.	Description	Pressure Measurement
39213	Indicator suits 39210	Bar only



Inflatable Boat - Valve

Part No.	Description	Lanyard	Diameter (mm)	Height (mm)
39154	Inflate Deflate Valve	External	62	45
39158	Inflate Deflate Valve	Internal	63	40

- Spring loaded inflate/deflate valve.
- Twist lock.



39158



39154

Inflatable Boat - Pressure Relief Valve

Part No.	Description	Large Diameter (mm)	Small Diameter (mm)	Max Pressure (PSI)
39159	Pressure Relief Valve	20	15	3.52

- Replaces the pressure-gauge.
- Fits all inflators and main valves.


NOTE: Has to be inserted between the inflatable boat and the air source. Insert the pressure relief valve into the inflation/deflation valve & the surplus air will be released.



Air Pump - Hose Adapter

Part No.	Description
39204	Bravo Pump Hose Adapter

- Inflating adaptor for BRAVO 2001, BRAVO 2004 HR, and similar valves with double hose diameter.
- With locking mechanism and step hose sleeve. Suitable for hose to foot and hand air pumps.



Inflatable Boat Folding Ladder

Ladder - Inflatable Boat Folding

Part No.	Steps	Tube Ø (mm)	Material	Overall Extended L x W (mm)	Overall Folded L x W (mm)
47283	2	25	Anodised Aluminium	861.6 x 352.6	430.8 x 352.6

- 2 step folding ladder for inflatable boats.
- Fastened to the boat using an adjustable lanyard with a spring snap hook.
- Locks in place with plastic clamps.

